



Sépi-pompes.com

Pompe Neuve EBARA PRA 050 M-P

Pompe EBARA Type PRA 050 M-P: Electropompe périphérique en fonte avec pressostat à usage résidentiel, alimentation chaudière ... 0.37Kw 220V 2.6A 2850 RPM Débit : 5 à 35 L/min Pression : 3.7 à 0.5 ba



Marque : ÉBARA

Référence : PRA 050 M-P

Prix : 188.24€ HT

Critères associés :

Type de fluide : Chauffage

Environnement : Habitat (Monophasée)

Type de produit : Pompes

Pompe EBARA PRA 050 M



Specifications

Maximum working pressure : 6 bar
Maximum liquid temperature: 80°C

Materials

Pump casing: Cast Iron
Impeller: Brass
Shaft : C10
Bracket: Cast Iron
Mechanical seal: Carbon/Ceramic/NBR

Technical Data

TEFC, 2 pole motor
Insulation class F
IP44 protection
1Ø, 240 Volt, 50 Hz
Permanent split capacitor
Automatic thermal overload protection


Peripheral turbine pumps manufactured in cast iron. Suitable for boosting of hot or cold water.

Performance Curve

Synchronous Speed:
3000 r.p.m.

Water temp:
20°C

Applicable standard of test :
ISO 2458 Class C



Performance Table

Pump Model	Motor Output	Power Supply	Capacitor		Full Load Current	Q= Capacity - litres/min								
			µF	Vc		5	10	15	20	35				
PRA 0.50 M	0.37 kW	240 V, 1ph.	10 µF	450 Vc	2.6 A	37	33.3	28.7	23.7	5				

[Lien vers la fiche du produit](#)