



Pompe Machine Outil 4COA 4-12

Pompe Machine Outil Corps Immergée 4COA 4-12 Puissance : 120W 230/400V I=0.3A Longueur sous plan de pose : 120 mm Débit : 40 litres/min Hauteur Max : 4 mètres



Référence : 4COA 4-12

Prix : 251.00€ HT

Critères associés :

Type de fluide : Eau claire, Eaux usées



Environnement : Collectivité, Industrie (Triphasée)

Type de produit : Pompes


Type de technologie : Arrosage - Adduction, Relevage

POMPE 4COA2


Performance Curves - 4COA Cooling Pumps



4COA2
4COA4
4COA6



4COA10
4COA14
4COA16
4COA25




Unit	mm	4COA4-12
Date		
		www.sepi-pompes.com

DATA SHEET

Coolant Pump

Type	4COA 4-12
Execution	Three-phase Execution
Frame material	Aluminium
Housing material	Aluminium
Impellor material	Copolymer Acetate
Head	4. metres
Pressure	40. kPa
Flow	0.7 litres/sec
Flow	40. litres/min
Power input	120.W
Motor speed	2800.rpm
Immersion depth	120. mm
Voltage	230/400V 50Hz
Current	0.3 Amps
Capacitor	n/a
Altitude	up to 2000 m a.s.l.
Protection	IP54
Ambient temperature	up to 40°C
Sieve in the inlet opening	Integral
Permitted size of impurities	max 0.5 mm
Max pumped liquid viscosity	150 mm ² .s ⁻¹
Temperature of pumped liquid	0°C to +60°C
Weight	3.7 kg

Wiring Diagram



[Lien vers la fiche du produit](#)