



DP Pumps DPV 4/11 B 2.2kW "INOX 316"(1.57kW) 50HZ

DP Pumps DPV 4/11 B "INOX 316" 2.2kW 50HZ DN 32 PN16 "Bride Ovale" Q : 3.9m³/h H : 79.3m



Marque : DP Pump

Référence : 29004225111oC

Prix : 723.06€ HT

Critères associés :

Type de fluide : Eau claire

Environnement : Collectivité, Industrie (Triphasée)

Type de produit : Pompes

Type de technologie : Arrosage - Adduction, Surpression

DP PUMPS DPV4/11

DP Pumps DPV 4/11 B "INOX 316" 2.2kW 230/400V 50HZ

DN32 "Bride OVALE"


Q : 3.9m³/h

H : 79.3m



DPV 4 DPVE 4

Performance curve
according to:
DIN 2548 Class C
50 Hz 2850 min⁻¹



H (m)

1 m = 1,42 Psi

3,28 feet

9,806 kPa

0,098 Bar


Q (l/s)

1 l/s = 15,85 US.Gpm

13,20 Imp.Gpm

60 l/min

DPV 4 DPVE 4



Pump type DPV(S/F/V/E)	General				DPV(S)(V)			DPV(S)F				DPVE					
	Motor power [kW]	Dimensions E1 [mm]	Dimensions E2 [mm]	Shipping volume [m3]	Dimensions F1 [mm]	Dimensions F2 [mm]	Net weight [kg]	Gross weight [kg]	Dimensions F1 [mm]	Dimensions F2 [mm]	Net weight [kg]	Gross weight [kg]	Dimensions E1 [mm]	Dimensions E2 [mm]	Dimensions F1 [mm]	Net weight [kg]	Gross weight [kg]
4-10	0,37	143	93	0,042	433	232	13	17	458	257	13	15	138	110	431	11	13
4-20	0,37	143	93	0,042	433	232	13	17	458	257	13	15	138	110	431	11	13
4-30	0,55	143	93	0,042	454	253	15	18	479	278	15	17	138	110	452	13	15
4-40	0,75	160	101,5	0,042	511	284	16	20	536	309	16	18	156	120	512	18	20
4-50	0,75	160	101,5	0,042	532	305	17	20	557	330	17	19	156	120	533	19	21
4-60	1,10	160	101,5	0,049	553	326	19	22	578	351	19	21	156	120	554	21	23
4-70	1,10	160	101,5	0,049	574	347	19	23	599	372	19	21					
4-80	1,50	174	142	0,049	634	378	25	28	659	403	25	27					
4-90	1,50	174	142	0,055	655	399	25	29	680	424	25	28					
4-100	1,50	174	142	0,055	676	420	26	29	701	445	26	28					
4-110	2,20	174	142	0,055	722	441	29	33	747	466	29	32					
4-130	2,20	174	142	0,069	764	483	30	34	789	508	30	33					
4-150	2,20	174	142	0,069	806	525	31	35	831	550	31	34					
4-160	3,00	198	155	0,095	870	556	40	45	895	581	42	46					
4-180	3,00	198	155	0,095	912	598	41	46	937	623	42	47					
4-200	3,00	198	155	0,114	954	640	42	48	979	665	43	48					
4-230	4,00	224	168	0,114	1026	703	49	55	1051	728	51	56					
4-250	4,00	224	168	0,114	1068	745	50	56	1093	770	52	57					



[Lien vers la fiche du produit](#)